

Issue date: 26 September 2022 Revision date: 12 October 2023 Supersedes version of: 30 November 2022 Version:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

Trade name Adapt Adhesive Remover Wipe

CAS-No. 107-46-0 Product code 7760 Formula : C6H18OSi2

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Ostomy use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Hollister ULC Foxford Road Rehins Ballina

County Mayo, Ireland F26 F3X5

Tel: +353 96 60600

Email: baehsinfo@Hollister.com Manufacturer web: www.hollister.com

Global corporate headquarters Hollister Incorporated 2000 Hollister Drive Libertyville, Illinois 60048 847-680-1000

www.Hollister.com Hollister Limited

Rectory Court 42 Broad Street

Wokingham, Berkshire RG40 1AB, England

1.4. Emergency telephone number

Emergency number : +45 48465000; +45 82 12 12 (Denmark Poison Control (Giftlinjen))

SECTION 2: Hazards identification

This product is regulated as a medical device in European Economic Area (EEA) and therefore, is exempt for the requirement to provide a United Kingdom CLP/REACH compliant SDS as it is medical device used in direct physical contact with the human body per Medical Device Regulation (MDR) (2017/745). The information contained within this SDS is provided for the benefit of non-clinical personnel as a guide to handling the product in a non-medical setting. In other regions, it may be regulated as a medical device, a cosmetic or not regulated.

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225 Hazardous to the aquatic environment – Acute Hazard, H400

Category 1

Hazardous to the aquatic environment - Chronic Hazard, H410

Category 1

Safety Data Sheet

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. Very toxic to aquatic life with long lasting effects.

2.2. Label elements

The product is assessed and supplied with a safety data sheet in accordance with European Regulation (EC) no 2015/830. Labelling of the product is prepared in accordance with Medical Device Regulation (MDR) (2017/745) on medical devices and local legislation.

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : CLP Label elements are not applicable for medical devices used in direct physical contact

with the human body. The product is to be labelled according to the requirements of the

medical devices regulations.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

: Hexamethyldisiloxane Name

CAS-No. : 107-46-0

Name	Product identifier	%
Hexamethyldisiloxane	CAS-No.: 107-46-0 EC-No.: 203-492-7	100

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell.

First-aid measures after inhalation If experiencing respiratory symptoms: Remove person to fresh air and keep comfortable for

: Not expected to present a significant hazard under anticipated conditions of normal use. If First-aid measures after skin contact

skin irritation or rash occurs: Remove affected clothing and wash all exposed skin area with

mild soap and water, followed by warm water rinse. First-aid measures after eye contact

: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : Overexposure to vapours may result in cough.

Symptoms/effects after eye contact : May cause slight temporary irritation.

Safety Data Sheet

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour. On combustion, forms: carbon oxides (CO and CO2).

Explosion hazard : No direct explosion hazard. Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering

the environment.

Protective equipment for firefighters : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

6.1.1. For non-emergency personnel

Protective equipment : No special protection required.

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking.

6.1.2. For emergency responders

Protective equipment : No special protection required.

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking.

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Ventilate area. Wipe up remaining liquid with absorbent material (for example cloth).

Other information : Dispose of in a safe manner in accordance with local/national regulations.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13: "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour. Keep away from

heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hygiene measures : Do not smoke while handling product. Use good personal hygiene practices. Wash hands

thoroughly after handling. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

12 October 2023 (Revision date) GB - en 3/10

Safety Data Sheet

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Do not overheat the product. Keep out of direct sunlight. Store in a well-ventilated place.

Keep cool. Keep container tightly closed.

Incompatible materials : Oxidizing materials. Strong acids. Alkalis.

7.3. Specific end use(s)

For further information see section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

Monitoring methods

Monitoring methods No additional information available.

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Not required for normal conditions of use. Normal use of this product shall imply use in accordance with the instructions on the packaging. Ensure adequate ventilation.

8.2.2. Personal protection equipment

Personal protective equipment:

Not required for normal conditions of use. Normal use of this product shall imply use in accordance with the instructions on the packaging

8.2.2.1. Eye and face protection

Eye protection:

Not required for normal conditions of use. If there is a risk of eye contact: Use suitable eye protection. EN 166

8.2.2.2. Skin protection

Hand protection:

Not required for normal conditions of use. In case of repeated or prolonged exposure: Wear suitable gloves resistant to chemical penetration. EN 374

8.2.2.3. Respiratory protection

Respiratory protection:

Not required for normal conditions of use. In case of insufficient ventilation, wear suitable respiratory equipment (EN 136/140/145). Wear appropriate breathing apparatus if air renewal not sufficient to maintain dust/vapour under TLV

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Safety Data Sheet

Other information:

Do not smoke while handling product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Impregnated liquid in wipes.

Colour : Colourless.
Odour : Odourless.
Odour threshold : No data available
pH : No data available

Relative evaporation rate (butylacetate=1) : > 1

Melting point : No data available
Freezing point : No data available
Boiling point : 100 °C (212 °F)
Flash point : -1 °C (30.2 °F)
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable

Vapour pressure : $35 \text{ mm Hg} (25 ^{\circ}\text{C}; 77 ^{\circ}\text{F})$

Relative vapour density at 20°C : 5.6

Relative density : No data available Density : 0.76 (25 °C; 77°F)

Solubility : Insoluble.
Partition coefficient n-octanol/water (Log Pow) : > 4

Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
No data available

Lower explosive limit (LEL) : 1 vol % Upper explosive limit (UEL) : 38 vol %

9.2. Other information

VOC content : 100 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapour.

10.2. Chemical stability

Stable in use and storage conditions as recommended in item 7.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Oxidizing materials. Strong acids. Alkalis.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition can lead to the release of irritating gases and vapours.

Safety Data Sheet

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Hexamethy	vldisiloxane ((107-46-0)

LD50 dermal rat > 2000 mg/kg Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met) Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) Germ cell mutagenicity Not classified (Based on available data, the classification criteria are not met) Carcinogenicity Not classified (Based on available data, the classification criteria are not met) Reproductive toxicity Not classified (Based on available data, the classification criteria are not met) STOT-single exposure Not classified (Based on available data, the classification criteria are not met) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) Aspiration hazard : Not classified (Based on available data, the classification criteria are not met) Other information : Likely routes of exposure: ingestion, inhalation, skin and eye

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Very toxic to aquatic life.

(acute)

Hazardous to the aquatic environment, long-term : Very toxic to aquatic life with long lasting effects.

(chronic)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Adapt Adhesive Remover Wipe (107-46-0)	
Partition coefficient n-octanol/water (Log Pow)	> 4

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose of in accordance with relevant local regulations.

Safety Data Sheet

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 3175	UN 3175	UN 3175	UN 3175	UN 3175
14.2. UN proper shippin	g name			
SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Hexamethyldisiloxane)	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Hexamethyldisiloxane)	Solids containing flammable liquid, n.o.s. (Hexamethyldisiloxane)	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Hexamethyldisiloxane)	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Hexamethyldisiloxane)
14.3. Transport hazard class(es)				
4.1	4.1	4.1	4.1	4.1
14.4. Packing group				
II	II	II	II	II
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information	n available		1	

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1

: 216, 274, 601 Special provisions (ADR)

Limited quantities (ADR) : 1kg Excepted quantities (ADR) : E2

Packing instructions (ADR) : P002, IBC06, R001

Special packing provisions (ADR) : PP9 Mixed packing provisions (ADR) : MP11 Portable tank and bulk container instructions (ADR) : T3, BK1, BK2 : TP33

Portable tank and bulk container special provisions

(ADR)

Vehicle for tank carriage : AT Transport category (ADR) : 2 Special provisions for carriage - Packages (ADR) : V11

Special provisions for carriage - Bulk (ADR) : VC1, VC2, AP2

Hazard identification number (Kemler No.) : 40

Orange plates

40 3175

Tunnel restriction code (ADR) EAC code : 1Z

Transport by sea

Special provisions (IMDG) : 216, 274 Limited quantities (IMDG) : 1 kg Excepted quantities (IMDG) : E2

Safety Data Sheet

Packing instructions (IMDG) : P002 Special packing provisions (IMDG) : PP9 : IBC06 IBC packing instructions (IMDG) IBC special provisions (IMDG) : B21 Tank instructions (IMDG) : T3, BK2 Tank special provisions (IMDG) TP33 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-I Stowage category (IMDG) : B

Properties and observations (IMDG) : Mixtures of non-dangerous solids (such as soil, sand, production materials etc.) and

flammable liquids.

Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y441 PCA limited quantity max net quantity (IATA) : 5kg PCA packing instructions (IATA) : 445 PCA max net quantity (IATA) : 15kg CAO packing instructions (IATA) : 448 CAO max net quantity (IATA) : 50kg Special provisions (IATA) : A46 ERG code (IATA) : 3L

Inland waterway transport

Classification code (ADN) : F1

Special provisions (ADN) : 216, 274, 601, 800

Limited quantities (ADN) : 1 kg
Excepted quantities (ADN) : E2
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01, VE03
Provisions for inspection of holds during carriage : IN01, IN02

(ADN)

Number of blue cones/lights (ADN) : 1

Additional requirements/Remarks (ADN) : VE03, IN01 and IN02 apply only when this substance is carried in bulk or without packaging

Rail transport

Classification code (RID) : F1

Special provisions (RID) : 216, 274, 601

Limited quantities (RID) : 1kg
Excepted quantities (RID) : E2

Packing instructions (RID) : P002, IBC06, R001

Special packing provisions (RID) : PP9
Mixed packing provisions (RID) : MP11
Portable tank and bulk container instructions (RID) : T3, BK1, BK2

Portable tank and bulk container special provisions : TP33

(RID)

Transport category (RID) : 2
Special provisions for carriage – Packages (RID) : W1

Special provisions for carriage – Bulk (RID) : VC1, VC2, AP2

Colis express (express parcels) (RID) : CE11 Hazard identification number (RID) : 40

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

Safety Data Sheet

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Not listed on REACH Annex XVII

REACH Annex XIV (Authorisation List)

Hexamethyldisiloxane is not on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Hexamethyldisiloxane is not on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Hexamethyldisiloxane is not on the PIC list (Regulation EU 649/2012)

POP Regulation (Persistent Organic Pollutants)

Hexamethyldisiloxane is not on the POP list (Regulation EU 2019/1021)

Ozone Regulation (1005/2009)

Hexamethyldisiloxane is not on the Ozone Depletion list (Regulation EU 1005/2009)

VOC Directive (2004/42)

VOC content : 100 %

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
2	Hazards identification	Modified	

Other information : None.

Full text of H- and EUH-statements:	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Safety Data Sheet (SDS)

Safety Data Sheet

The information contained in this Safety Data Sheet (SDS) is offered as a guide to the use and handling of this material. All safety aspects of all Hollister products are thoroughly evaluated prior to commercialization. This SDS has been prepared in good faith by technically knowledgeable personnel. Hollister Incorporated shall not be held liable for any damages, losses or injuries of any nature which may result from the use of or reliance upon any information contained in this SDS. Each individual should make a determination as to the suitability of the information for his or her particular purpose(s).